

**LINYI BEYOND TOOLS CO.,LTD**

ADD:the cross of hualong road and beijing road, Hedong district, Linyi City, Shandong, China

TEL:0539-8388267

FAX:0539-8388267

MOB/WHATSAPP/WECHAT:+86 198 1919 1307

EMAIL:info@bydtools.com

WEB:www.bydtools.com

FOLLOW US



hand-tools-factory



james.bydtools



james\_bydtools



BEYOND TOOLS



@BydTools



@BEYOND\_TOOLS



+8619819191307



# BEYOND




## 2024 Catalogue





SKYSHIP



## COMPANY PROFILES

Linyi Beyond Tools Co., Ltd. was founded in 2008, which has more than 15 years of experience in the hand tools field. Our company has been the professional manufacturer of pliers and other hand tools, with an annual capacity of 5 million pieces of pliers. Our company just focus on the manufacturing of combination plier, long nose plier, diagonal plier and multifunctional plier, we do not manufacture various pliers, be the expert and top manufacturer in one item is our mission of the craftsmanship spirit. Our continuous perseverance in providing quality products & services has earned the good reputation in the plier field across the globe.

## OUR OPERATIONS

Our factory has 5000 square meters workshop that is located in Linyi City, Shandong Province of China (around 3 hours/200kms far from QINGDAO PORT). Producing high quality pliers with over 400,000 pieces each month as per international standards that meet our customers' requirements. Supplying consistent quality, timely delivery & best service is our permanent mission.



## OUR PRESENCE

Main products: combination plier, long nose plier, diagonal plier and multifunctional plier with annual capacity of 5 million pieces. Our items are widely exported to over 30 major countries in North and South America, South Asia, South-east Asia and Middle East.



## OEM IS WELCOMED

We hereby send our NEW CATALOGUE to you, which covers most of our products. We sincerely thank you for your time reading our catalogue and hope it can help your working & saving time in searching for good suppliers. Welcome to contact us for more inquiry and Best Regards. All staff from Linyi Beyond Tools Co., Ltd.

## WORKSHOP



## QUALITY CHECKING



## SHIPPING




## PATENT





## High Leverage Multi-purpose Plier, Stripping / Crimping / Shearing / Side-Cut


[Click here for more](#)


- Gripping zones for flat and round material for a variety of uses, and grabs and twists wires.



- Oval jaw: for clamping screw nuts, pipe and other round workpieces



- Strips: 4.0 / 2.5 / 1.5 mm stranded wire



- Cutting steel wire, copper wire, plastic and so on. Special laser heat treatment for cutting edge to ensure more sharper and longer working life




- Labor saving eccentric lever design  
High leverage saving 30% strength than normal pliers



- Bolt Shearing  
Diameter of holes:  $\phi 3$  mm,  $\phi 4$  mm



- Clamping wire, gap:  $\leq 1.5$  mm, easy for wire pulling & clamping  
Clamping Scope: 0.75~4 mm<sup>2</sup>



- TPR handle with ergonomic handle design, non-slipping, firm contact to the hand and fatigue reducing operation


ITEM NO.	SPEC.	QTY/BOX	QTY/CTN	CTN SIZE	G.W. / N.W.
601085	8.5"	12 PCS	72 PCS	555×305×310 MM	29.5 / 28 KGS

## BRIEF DESCRIPTION:

- Labor saving eccentric lever design
- High leverage saving 30% strength than normal pliers
- Materials: 60 CRV, Drop Forged Steel
- Hardness of cutting edge: 62 $\pm$ 2 HRC
- Hardness of body: 45~48 HRC
- Surface: Blackening + Machine Grinding
- Handle: TPR
- Package: Blister Card + Color Box + Mater Carton

Package:


Blister Card + Color Box + Master Carton


[YouTube](#)  
Click here for more

Pliers strip, cut, pull, twist, shear and crimp with one tool. With full length, laser hardened cutting edge and a high-leverage design, the multifunctional pliers provide more cutting power on hard wire. It easily strips  $\phi 1.5 \sim 4$  mm stranded wire. The wide, knurled head easily grabs and twists wires. Convenient holes for shearing  $\phi 3 \sim 4$  mm bolts plus a crimper for non-insulated connectors, lugs and terminals make this a must-have tool for your tools box.



Wires grabbing and twisting



Wires stripping



Wires cutting



Bolt shearing




## ⚠ WARNINGS

- Always wear approved eye protection.
- NOT insulated. Plastic-dipped or slip-on plastic handles are NOT intended for protection against electrical shock.
- Never use on or near live electrical circuits.



## HIGH LEVERAGE COMBINATION PLIER


[Click here for more](#)


• Milled groove in the gripping area permits small parts such as nails, pins and bolts to be held and pulled



• Gripping zones for flat and round material for a variety of uses



• Oval jaw: for clamping screw nuts, pipe and other round workpieces



• Cutting steel wire, copper wire, plastic and so on. Special lasering heat treatment for cutting edge to ensure more shapper and longer working life

7": ● copper wire ≤ φ4.0, ● iron wire ≤ φ2.8, ● steel wire rope ≤ φ2.5, ● piano wire ≤ φ2.0

8": ● copper wire ≤ φ5.0, ● iron wire ≤ φ3.3, ● steel wire rope ≤ φ2.8, ● piano wire ≤ φ2.3

9": ● copper wire ≤ φ6.0, ● iron wire ≤ φ3.8, ● steel wire rope ≤ φ3.0, ● piano wire ≤ φ2.5



• Labor saving eccentric lever design  
High leverage saving 30% strength than normal pliers



• Clamping wire, gap: ≤1.5mm, easy for wire pulling & clamping  
7": 0.75~4mm<sup>2</sup>, 8": 0.75~4mm<sup>2</sup>, 9": 0.75~4mm<sup>2</sup>




• PVC handle with ergonomic handle design, non-slipping, firm contact to the hand and fatigue reducing operation

ITEM NO.	SPEC.	QTY/BOX	QTY/CTN	CTN SIZE	G.W. / N.W.
102017	7"	12 PCS	72 PCS	555×305×310 MM	22.5 / 21 KGS
102018	8"	12 PCS	72 PCS	555×305×310 MM	29 / 28 KGS
102019	9"	12 PCS	72 PCS	555×305×310 MM	32 / 31 KGS

## BRIEF DESCRIPTION:

- Labor saving eccentric lever design
- High leverage saving 30% strength than normal pliers
- Materials: 60 CRV, Drop Forged Steel
- Hardness of cutting edge: 62±2 HRC
- Hardness of body: 45~48 HRC
- Surface: Blackening + Machine Grinding
- Handle: PVC
- Package: Blister Card + Color Box + Mater Carton

4 head styles available for OEM



Blister Card + Color Box + Master Carton

Package:



## HIGH LEVERAGE LONG NOSE PLIER


[Click here for more](#)


• Wire winding



• Gripping zones for flat and round material for a variety of uses



• Oval jaw: for clamping screw nuts, pipe and other round workpieces



• Cutting steel wire, copper wire, plastic and so on. Special lasering heat treatment for cutting edge to ensure more shapper and longer working life

6": ● copper wire ≤ φ3.5, ● iron wire ≤ φ2.5, ● steel wire rope ≤ φ2.0, ● piano wire ≤ φ1.5

8": ● copper wire ≤ φ3.8, ● iron wire ≤ φ3.2, ● steel wire rope ≤ φ2.2, ● piano wire ≤ φ1.8



• Labor saving eccentric lever design, high leverage saving 30% strength than normal pliers



• Clamping wire, gap: ≤1.5mm, easy for wire pulling & clamping



• Ergonomic handle design, non-slipping, firm contact to the hand and fatigue reducing operation

ITEM NO.	SPEC.	QTY/BOX	QTY/CTN	CTN SIZE	G.W. / N.W.
102026	6"	12 PCS	96 PCS	470×250×385 MM	19.5 / 18 KGS
102028	8"	12 PCS	72 PCS	555×305×310 MM	22.5 / 21 KGS

## HIGH LEVERAGE DIAGONAL PLER


[Click here for more](#)


• Cutting steel wire, copper wire, plastic and so on. Special lasering heat treatment for cutting edge to ensure more shapper and longer working life

6": ● copper wire ≤ φ4.0, ● iron wire ≤ φ3.8, ● steel wire rope ≤ φ2.8, ● piano wire ≤ φ2.0



• Labor saving eccentric lever design, high leverage saving 30% strength than normal pliers



• Clamping wire, gap: ≤1.5mm, easy for wire pulling & clamping




• Ergonomic handle design, non-slipping, firm contact to the hand and fatigue reducing operation working

ITEM NO.	SPEC.	QTY/BOX	QTY/CTN	CTN SIZE	G.W. / N.W.
102036	6"	12 PCS	96 PCS	470×250×385 MM	24.5 / 23 KGS



## HIGH LEVERAGE COMBINATION PLIER


[Click here for more](#)


• Milled groove in the gripping area permits small parts such as nails, pins and bolts to be held and pulled



• Gripping zones for flat and round material for a variety of uses



• Oval jaw: for clamping screw nuts, pipe and other round workpieces



• Cutting steel wire, copper wire, plastic and so on. Special lasering heat treatment for cutting edge to ensure more shapper and longer working life

7": ● copper wire ≤ φ4.0, ● iron wire ≤ φ2.8, ● steel wire rope ≤ φ2.5, ● piano wire ≤ φ2.0

8": ● copper wire ≤ φ5.0, ● iron wire ≤ φ3.3, ● steel wire rope ≤ φ2.8, ● piano wire ≤ φ2.3


9": ● copper wire ≤ φ6.0, ● iron wire ≤ φ3.8, ● steel wire rope ≤ φ3.0, ● piano wire ≤ φ2.5



• Labor saving eccentric lever design  
High leverage saving 30% strength than normal pliers



• Clamping wire, gap: ≤1.5mm, easy for wire pulling & clamping  
7": 0.75~4mm<sup>2</sup>, 8": 0.75~4mm<sup>2</sup>, 9": 0.75~4mm<sup>2</sup>




• PVC handle with ergonomic handle design, non-slipping, firm contact to the hand and fatigue reducing operation

ITEM NO.	SPEC.	QTY/BOX	QTY/CTN	CTN SIZE	G.W. / N.W.
103017	7"	12 PCS	72 PCS	555×305×310 MM	22.5 / 21 KGS
103018	8"	12 PCS	72 PCS	555×305×310 MM	29 / 28 KGS

## BRIEF DESCRIPTION:

- Labor saving eccentric lever design
- High leverage saving 30% strength than normal pliers
- Materials: 60 CRV, Drop Forged Steel
- Hardness of cutting edge: 62±2 HRC
- Hardness of body: 45~48 HRC
- Surface: Blackening + Machine Grinding
- Handle: PVC
- Package: Blister Card + Color Box + Mater Carton

4 head styles available for OEM



Blister Card + Color Box + Master Carton

Package:



## HIGH LEVERAGE LONG NOSE PLIER


[Click here for more](#)


• Wire winding



• Gripping zones for flat and round material for a variety of uses



• Oval jaw: for clamping screw nuts, pipe and other round workpieces



• Cutting steel wire, copper wire, plastic and so on. Special lasering heat treatment for cutting edge to ensure more shapper and longer working life

6": ● copper wire ≤ φ3.5, ● iron wire ≤ φ2.5, ● steel wire rope ≤ φ2.0, ● piano wire ≤ φ1.5

8": ● copper wire ≤ φ3.8, ● iron wire ≤ φ3.2, ● steel wire rope ≤ φ2.2, ● piano wire ≤ φ1.8



• Labor saving eccentric lever design, high leverage saving 30% strength than normal pliers



• Clamping wire, gap: ≤1.5mm, easy for wire pulling & clamping



• Ergonomic handle design, non-slipping, firm contact to the hand and fatigue reducing operation

ITEM NO.	SPEC.	QTY/BOX	QTY/CTN	CTN SIZE	G.W. / N.W.
103026	6"	12 PCS	96 PCS	470×250×385 MM	19.5 / 18 KGS
103028	8"	12 PCS	72 PCS	555×305×310 MM	22.5 / 21 KGS

## HIGH LEVERAGE DIAGONAL PLER


[Click here for more](#)


• Cutting steel wire, copper wire, plastic and so on. Special lasering heat treatment for cutting edge to ensure more shapper and longer working life

6": ● copper wire ≤ φ4.0, ● iron wire ≤ φ3.8, ● steel wire rope ≤ φ2.8, ● piano wire ≤ φ2.0



• Labor saving eccentric lever design, high leverage saving 30% strength than normal pliers



• Clamping wire, gap: ≤1.5mm, easy for wire pulling & clamping



• Ergonomic handle design, non-slipping, firm contact to the hand and fatigue reducing operation working

ITEM NO.	SPEC.	QTY/BOX	QTY/CTN	CTN SIZE	G.W. / N.W.
103036	6"	12 PCS	96 PCS	470×250×385 MM	24.5 / 23 KGS



## HIGH LEVERAGE COMBINATION PLIER


[Click here for more](#)


• Milled groove in the gripping area permits small parts such as nails, pins and bolts to be held and pulled



• Gripping zones for flat and round material for a variety of uses



• Oval jaw: for clamping screw nuts, pipe and other round workpieces



• Cutting steel wire, copper wire, plastic and so on. Special lasering heat treatment for cutting edge to ensure more shapper and longer working life

7": ● copper wire ≤ φ4.0, ● iron wire ≤ φ2.8, ● steel wire rope ≤ φ2.5, ● piano wire ≤ φ2.0

8": ● copper wire ≤ φ5.0, ● iron wire ≤ φ3.3, ● steel wire rope ≤ φ2.8, ● piano wire ≤ φ2.3

9": ● copper wire ≤ φ6.0, ● iron wire ≤ φ3.8, ● steel wire rope ≤ φ3.0, ● piano wire ≤ φ2.5



• Labor saving eccentric lever design  
High leverage saving 30% strength than normal pliers



• Clamping wire, gap: ≤1.5mm, easy for wire pulling & clamping  
7": 0.75~4mm<sup>2</sup>, 8": 0.75~4mm<sup>2</sup>, 9": 0.75~4mm<sup>2</sup>




• PVC handle with ergonomic handle design, non-slipping, firm contact to the hand and fatigue reducing operation

ITEM NO.	SPEC.	QTY/BOX	QTY/CTN	CTN SIZE	G.W. / N.W.
104017	7"	12 PCS	72 PCS	555×305×310 MM	22.5 / 21 KGS
104018	8"	12 PCS	72 PCS	555×305×310 MM	29 / 28 KGS

## BRIEF DESCRIPTION:

- Labor saving eccentric lever design
- High leverage saving 30% strength than normal pliers
- Materials: 60 CRV, Drop Forged Steel
- Hardness of cutting edge: 62±2 HRC
- Hardness of body: 45~48 HRC
- Surface: Blackening + Machine Grinding
- Handle: PVC
- Package: Blister Card + Color Box + Mater Carton



Blister Card + Color Box + Master Carton

Package:



## HIGH LEVERAGE LONG NOSE PLIER


[Click here for more](#)


• Wire winding



• Gripping zones for flat and round material for a variety of uses



• Oval jaw: for clamping screw nuts, pipe and other round workpieces



• Cutting steel wire, copper wire, plastic and so on. Special lasering heat treatment for cutting edge to ensure more shapper and longer working life

6": ● copper wire ≤ φ3.5, ● iron wire ≤ φ2.5, ● steel wire rope ≤ φ2.0, ● piano wire ≤ φ1.5

8": ● copper wire ≤ φ3.8, ● iron wire ≤ φ3.2, ● steel wire rope ≤ φ2.2, ● piano wire ≤ φ1.8



• Labor saving eccentric lever design, high leverage saving 30% strength than normal pliers



• Clamping wire, gap: ≤1.5mm, easy for wire pulling & clamping



• Ergonomic handle design, non-slipping, firm contact to the hand and fatigue reducing operation

ITEM NO.	SPEC.	QTY/BOX	QTY/CTN	CTN SIZE	G.W. / N.W.
104026	6"	12 PCS	96 PCS	470×250×385 MM	19.5 / 18 KGS
104028	8"	12 PCS	72 PCS	555×305×310 MM	22.5 / 21 KGS

## HIGH LEVERAGE DIAGONAL PLER


[Click here for more](#)


• Cutting steel wire, copper wire, plastic and so on. Special lasering heat treatment for cutting edge to ensure more shapper and longer working life

6": ● copper wire ≤ φ4.0, ● iron wire ≤ φ3.8, ● steel wire rope ≤ φ2.8, ● piano wire ≤ φ2.0



• Labor saving eccentric lever design, high leverage saving 30% strength than normal pliers



• Clamping wire, gap: ≤1.5mm, easy for wire pulling & clamping




• Ergonomic handle design, non-slipping, firm contact to the hand and fatigue reducing operation working

ITEM NO.	SPEC.	QTY/BOX	QTY/CTN	CTN SIZE	G.W. / N.W.
104036	6"	12 PCS	96 PCS	470×250×385 MM	24.5 / 23 KGS




## HIGH LEVERAGE COMBINATION PLIER



ITEM NO.	SPEC.	QTY/BOX	QTY/CTN	CTN SIZE	G.W. / N.W.
105017	7"	12 PCS	72 PCS	555×305×310 MM	22.5 / 21 KGS
105018	8"	12 PCS	72 PCS	555×305×310 MM	29 / 28 KGS
105019	9"	12 PCS	72 PCS	555×305×310 MM	32 / 31 KGS

## BRIEF DESCRIPTION:

- Labor saving eccentric lever design
- High leverage saving 30% strength than normal pliers
- Materials: 60 CRV, Drop Forged Steel
- Hardness of cutting edge: 62±2 HRC
- Hardness of body: 45~48 HRC
- Surface: Blackening + Machine Grinding
- Handle: PVC
- Package: Blister Card + Color Box + Mater Carton




## HIGH LEVERAGE LONG NOSE PLIER



ITEM NO.	SPEC.	QTY/BOX	QTY/CTN	CTN SIZE	G.W. / N.W.
105026	6"	12 PCS	96 PCS	470×250×385 MM	19.5 / 18 KGS
105028	8"	12 PCS	72 PCS	555×305×310 MM	22.5 / 21 KGS

## HIGH LEVERAGE DIAGONAL PLER



ITEM NO.	SPEC.	QTY/BOX	QTY/CTN	CTN SIZE	G.W. / N.W.
105036	6"	12 PCS	96 PCS	470×250×385 MM	24.5 / 23 KGS



INDUSTRIAL GRADE AIR BLOW DUST GUN



Tapered air flow nozzle

Stainless steel,Diameter of pipe:8mm ,More longer working life

Two convenient hangers design

POM materials handle,more excellent performance than PP and nylon

Laser Marking Logo

110 / 270 / 600 / 1000 MM

The spring could withstand at least 1,000,000 times compressions

1/4" quick connector ,20 PM

Piston type sealing valve to prevent air leakage, delivering more powerful and concentrated airflow.

Excellent grip with ergonomic feel design

[Click here for more](#)

ITEM NO.	SPEC.	QTY/BOX	QTY/CTN	CTN SIZE	G.W. / N.W.
116	110MM	12 PCS	120 PCS	700×480×340 MM	21.5 / 20 KGS
117	270MM	20 PCS	180 PCS	860×420×490 MM	38.5 / 37 KGS
118	600MM				
119	1000MM				

- BRIEF DESCRIPTION:**
- Tube Materials: Stainless Steel
  - Diameter of Air Tube: 8mm
  - Air Tube length: 110 / 270 / 600 / 1000 mm
  - Max Working Pressure: 20 Bar
  - Handle Materials: POM
  - Handle Length: 170mm
  - 1/4" Quick Connector 20 PM
  - Spring:could withstand at least 1,000,000 times compressions
  - Package:Blister Card + Color Box + Mater Carton

